

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	Status
<b>YMCA GRADE CAMPS SUMMER FOOD PROGRAM</b>			
<b>424 STADIUM BLVD</b>			
<b>JEFFERSON CITY, MO 65101</b>	Occurred		
ROUTINE	05/29/15		
INSPECTION			
0		No Violations Cited	
<b>APPLEBEE'S NEIGHBORHOOD GRILL</b>			
<b>2319 MISSOURI BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>	Occurred		
ROUTINE	05/15/15		
INSPECTION			
		OBSERVED: Floors in the walk in cooler and walk in freezer have food debris present.	NON-CRITICAL
		OBSERVED: Microwaves on the make line had food debris and splatter present.	NON-CRITICAL
		OBSERVED: Fan covers and air curtain vent have an accumulation of dust present	
<b>WENDY'S OLD FASHION HAMBURGERS</b>			
<b>2108 MISSOURI BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>	Occurred		
ROUTINE	05/07/15		
INSPECTION			
		OBSERVED: Floors in the walk-in freezer has food debris present.	NON-CRITICAL
		OBSERVED: Racks in the Master Bilt freezer on the line has chipping and peeling paint	NON-CRITICAL
		OBSERVED: Metal line in the Master Bilt freezer was not secure.	
		OBSERVED: Soda machine in the drive thru area has soda debris and splatter present	
		OBSERVED: Gaskets on the make table cooler are torn	NON-CRITICAL
<b>ALDI'S GROCERY STORE</b>			
<b>2225 MISSOURI BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>	Occurred		
ROUTINE	05/13/15		
INSPECTION			
		OBSERVED: Tracks and glass on several coffin cases have dirt and debris present. Also, Frost layer in some have debris present.	NON-CRITICAL
<b>ARRIS BISTRO &amp; THE LIQUID LOUNGE</b>			
<b>409 W MILLER ST X</b>			
<b>JEFFERSON CITY, MO 65101</b>	Occurred		
ROUTINE	05/13/15		
INSPECTION			
		OBSERVED: particle shelf above food prep area in kitchen in poor condition.	NON-CRITICAL
<b>BEE LINE SNACK SHOPS</b>			
<b>2205 SOUTHRIDGE DR</b>			
<b>JEFFERSON CITY, MO 65109</b>	Occurred		
ROUTINE	05/29/15		
INSPECTION			
		OBSERVED: No soap present at hand sink.	NON-CRITICAL
		OBSERVED: Seal is torn on the True Cooler.	NON-CRITICAL
		OBSERVED: Tracks on the Blue Bunny chest freezer has debris accumulation	NON-CRITICAL
		OBSERVED: Tracks on the Nestle chest freezer has debris accumulation	

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

**BREAK TIME #3045**

**1940 W MAIN ST**

**JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 05/04/15

INSPECTION

Description

Status

OBSERVED: Lays potato chip and Gatorade display should be elevated off the floor NON-CRITICAL  
 OBSERVED: Bottom of upright freezer has debris present NON-CRITICAL  
 OBSERVED: Soda fountain has soda debris and splatter present  
 OBSERVED: Tracks on the North Star chest freezer has debris present  
 OBSERVED: Cappuccino machine had splatter and debris present  
 OBSERVED: Dust present on the vent in the open display case.  
 OBSERVED: Distressed merchandise stored in the triple sink. NON-CRITICAL

**CHILI'S GRILL & BAR**

**3515 MISSOURI BLVD**

**JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 05/18/15

INSPECTION

Description

Status

OBSERVED: Hinge on the ice cream freezer, breadng table cooler was in disrepair NON-CRITICAL  
 OBSERVED: Peeling paint on the door of microwave \*\*\*\* Manager stated she will discontinue use of this microwave and order a new one.  
 OBSERVED: Microwave seal is in disrepair and bottom is chipped and broken.  
 OBSERVED: Floor tile in the walk-in freezer and in front of the fry station is broken NON-CRITICAL  
 OBSERVED: Fan covers in the walk -in cooler have dust accumulation NON-CRITICAL  
 OBSERVED: Side of nacho grill has food debris present  
 OBSERVED: Can opener has food debris present. CORRECTED ON SITE: Opener was sent through the dish washer.

**CONVENIENT FOOD MART**

**3714 W TRUMAN BLVD**

**JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 05/26/15

INSPECTION

Description

Status

OBSERVED: Broken and loose tiles in food prep area. NON-CRITICAL  
 OBSERVED: Dried food debris in the bottom of the 3 door Master Bilt Cooler. NON-CRITICAL  
 OBSERVED: Food debris present in the upright freezer.  
 OBSERVED: Fan covers in the walk-in cooler have dust accumulation.

**CULVER'S RESTAURANT**

**1920 JEFFERSON ST**

**JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 05/19/15

INSPECTION

0

Description

Status

No Violations Cited

**DRAGON KITCHEN**

**2219 MISSOURI BLVD STE D**

**JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 05/06/15

INSPECTION

Description

Status

OBSERVED: potentially hazardous food product on cold buffet table not at correct cold holding temperature. CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

Facility Name & Address	Occurred	Description	Status
FOLLOW-UP INSPECTION 0	05/18/15	No Violations Cited	
<b>EL ESPOLON MEXICAN RESTAURANT</b>			
<b>915 EASTLAND DR X</b>			
<b>JEFFERSON CITY, MO 65101</b>			
ROUTINE INSPECTION	05/12/15		
		OBSERVED: several ceramic wall tiles missing in kitchen	NON-CRITICAL
		OBSERVED: contents of veggie table above 45 F [beef, sour cream, guacamole, etc] [beef was discarded on site by owner, other items iced]	CRITICAL
		OBSERVED: spillage present in front of community dumpster	NON-CRITICAL
		OBSERVED: several hand sinks in kitchen are pulling loose from the wall supports [secure and recaulk]	NON-CRITICAL
		OBSERVED: bar glass washer not chemically sanitizing, broken line discovered [triple sink available for wash/rinse/sanitize]	CRITICAL
		OBSERVED: veggie prep table door gasket is torn and non-functional	NON-CRITICAL
		OBSERVED: servers expo table had erratic temperatures from 43 F on salsa to 47 F on milk	NON-CRITICAL
FOLLOW-UP INSPECTION	05/13/15		
		OBSERVED: several ceramic wall tiles missing in kitchen	NON-CRITICAL
		OBSERVED: contents of veggie table above 45 F	CRITICAL
		OBSERVED: veggie prep table door gasket is torn and non-functional	NON-CRITICAL
		OBSERVED: spillage present in front of community dumpster	NON-CRITICAL
FOLLOW-UP INSPECTION	05/28/15		
		OBSERVED: several ceramic wall tiles missing in kitchen	NON-CRITICAL
<b>EL ESPOLON MEXICAN RESTAURANT</b>			
<b>450 ROCK HILL RD</b>			
<b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	05/13/15		
		OBSERVED: foods in servers expo table above 45 F	CRITICAL
FOLLOW-UP INSPECTION	05/28/15		
		No Violations Cited	
<b>FAMILY DOLLAR STORE</b>			
<b>713 MADISON ST</b>			
<b>JEFFERSON CITY, MO 65101</b>			
ROUTINE INSPECTION	05/14/15		
		OBSERVED: No covered trash can in the joint restroom.	NON-CRITICAL
		OBSERVED: Torn door seal on the Coca Cola True Cooler .	NON-CRITICAL
		OBSERVED: Torn door seal on the middle door of the 3 door True Cooler	
		OBSERVED: Black debris present on the shelves in the 3 door cooler	NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

**HUNAN RESTAURANT**  
**1416 MISSOURI BLVD X**  
**JEFFERSON CITY, MO 65109**

Occurred  
 ROUTINE 05/21/15  
 INSPECTION

Description	Status
OBSERVED: no cover nor lid present on trash can in ladies restroom; provide lid	NON-CRITICAL
OBSERVED: screen door sometimes left open to back exit of restaurant; keep closed	NON-CRITICAL
OBSERVED: several table sauce trays have no lids; provide lids or covers	NON-CRITICAL
OBSERVED: floors under fryers are soiled with grease	NON-CRITICAL

**JEFFERSON CITY SUB SHOP**  
**1902 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

Occurred  
 ROUTINE 05/20/15  
 INSPECTION

Description	Status
OBSERVED: areas present of broken drywall in slicer area, around some air vents, and storage shelves [repairs are being made in the storage shelving and will be coming to slicer area according to manager]	NON-CRITICAL
OBSERVED: ice cubes show soil specks present, need to clean ice maker throat and shatter plate [manager stated this would be done tonight]	NON-CRITICAL
OBSERVED: self-serve plastic ware not presented handle first to customer or wrapped	NON-CRITICAL
OBSERVED: unprotected light bulbs present above ice bin of soda dispenser	NON-CRITICAL
OBSERVED: no paper towels available in ladies restroom	NON-CRITICAL
OBSERVED: areas of dust clinging present in hood, walk in cooler, walls, kitchen ceiling and light fixtures [cleaning was started but not completed before inspection occurred]	NON-CRITICAL

**JIMMY JOHNS GOURMET SANDWICHES**  
**3750 W TRUMAN BLVD**  
**JEFFERSON CITY, MO 65109**

Occurred  
 ROUTINE 05/21/15  
 INSPECTION  
 0

Description	Status
No Violations Cited	

**KATE AND ALLY'S PIZZARIA**  
**1418 MISSOURI BLVD STE A**  
**JEFFERSON CITY, MO 65109**

Occurred  
 ROUTINE 05/21/15  
 INSPECTION

Description	Status
OBSERVED: debris present on floor under 3 compartment sink/dishwasher area.	NON-CRITICAL

**JC CHICKEN**  
**1923 CHRISTY DR**  
**JEFFERSON CITY, MO 65101**

Occurred  
 ROUTINE 05/13/15  
 INSPECTION

Description	Status
OBSERVED: Vent hood had grease build up and debris	CRITICAL
OBSERVED: Tarter sauce in single made cups not stored at 41 degrees or less on make line	CRITICAL
OBSERVED: Floors in the Walk-In Freezer has debris present	NON-CRITICAL
OBSERVED: Floors in the Walk-In Cooler has debris present	

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

OBSERVED: Fan covers in the Walk-In Cooler has dust accumulation  
 OBSERVED: Several bags of flour, breadings, salt, etc were stored with the bags open and no protection from contamination  
 OBSERVED: Soda machines have debris and splatter present  
 Description Status

Occurred  
 05/21/15

FOLLOW-UP  
 INSPECTION

OBSERVED: Vent Hood has an accumulation of grease and debris  
 CRITICAL

\*\*\* Owner states there are bids out with different companies to clean the vent hood. Should have completed in 30 days.

**LOVE SUSHI**  
**2201 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

Occurred  
 05/04/15

FOLLOW-UP  
 INSPECTION  
 0

Description Status

No Violations Cited

**MCALISTER'S DELI**  
**2323 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

Occurred  
 05/12/15

FOLLOW-UP  
 INSPECTION

Description Status

OBSERVED: Microwave on the prep line has food debris and splatter present.  
 OBSERVED: Back edge of prep table has food debris and other debris present.  
 NON-CRITICAL

**MCDONALD'S**  
**3124 S TEN MILE DR**  
**JEFFERSON CITY, MO 65109**

Occurred  
 05/05/15

ROUTINE  
 INSPECTION

Description Status

OBSERVED: Bottom of the breakfast cooler had food debris present  
 CORRECTED ON SITE: Cooler was wiped out while on site  
 OBSERVED: Can opener had food debris present. CORRECTED ON SITE: Can opener was cleaned while on site  
 OBSERVED: Soda machine had debris and splatter present.  
 CORRECTED ON SITE: Soda machine was cleaned while on site  
 NON-CRITICAL

**MR. CONVENIENCE**  
**230 E MCCARTY ST**  
**JEFFERSON CITY, MO 65101**

Occurred  
 05/19/15

ROUTINE  
 INSPECTION

Description Status

OBSERVED: visible soil deposits present on inside walls of triple sink  
 OBSERVED: walls and ceiling by pizza oven have dust deposits present  
 NON-CRITICAL  
 NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	<u>Description</u>	Status
<b>PAPA MURPHY'S PIZZA</b> <b>1803 MISSOURI BLVD STE F</b> <b>JEFFERSON CITY, MO 65109</b> Occurred FOLLOW-UP 05/12/15 INSPECTION 0	Description  No Violations Cited	Status
<b>PIZZA HUT</b> <b>2005 SCHOTTHILL WOODS DR</b> <b>JEFFERSON CITY, MO 65101</b> Occurred ROUTINE 05/12/15 INSPECTION	Description  OBSERVED: ceiling and fan covers are soiled in large walk in cooler, above retarder, above make table, above wing street cooking area, and above pot storage OBSERVED: unprotected bulbs in large walk in cooler fixture	Status  NON-CRITICAL NON-CRITICAL
<b>PIZZA HUT</b> <b>3530 COUNTRY CLUB DR</b> <b>JEFFERSON CITY, MO 65109</b> Occurred ROUTINE 05/06/15 INSPECTION	Description  OBSERVED: Dough racks had an accumulation of cheese debris. OBSERVED: Air vent for the pizza make table has dust accumulation present	Status  NON-CRITICAL NON-CRITICAL
<b>PRISON BREWS</b> <b>305 ASH ST</b> <b>JEFFERSON CITY, MO 65101</b> Occurred ROUTINE 05/19/15 INSPECTION	Description  OBSERVED: dust accumulation on ceilings/walls in kitchen. Wood debris present on pizza sauce cans. OBSERVED-broken/missing light covers in kitchen prep area. Missing cover over light in walk in cooler.	Status  NON-CRITICAL NON-CRITICAL NON-CRITICAL
<b>QUALITY CATERING</b> <b>2834 ROCKRIDGE RD</b> <b>JEFFERSON CITY, MO 65109</b> Occurred ROUTINE 05/13/15 INSPECTION  Occurred FOLLOW-UP 05/21/15 INSPECTION 0	Description  OBSERVED: refrigerator not at correct cold holding temperature. Corrected.  Description  No Violations Cited	Status  CRITICAL Status
<b>SONIC DRIVE-IN--COMMERCE</b> <b>201 COMMERCE DR</b> <b>JEFFERSON CITY, MO 65109</b> Occurred ROUTINE 05/22/15 INSPECTION	Description  OBSERVED: Fan covers in the walk-in cooler have dust accumulation present OBSERVED: Grill chest freezer has food debris in the track of cooler OBSERVED: Back edge and lid of make table has food debris OBSERVED: Cracked seals on the fountain cooler and McCall freezer	Status  NON-CRITICAL NON-CRITICAL NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		<u>Description</u>	
<b>MCDONALDS</b> <b>724 W STADIUM BLVD</b> <b>JEFFERSON CITY, MO 65109</b>	Occurred		Status
ROUTINE INSPECTION	05/20/15	OBSERVED: Several items in the four door cooler were not marked with a seven day discard date.	CRITICAL
		OBSERVED: Beverage Air Freezer had food debris present	NON-CRITICAL
		OBSERVED: Seals on several coolers have food debris present	
		OBSERVED: Top microwave has food debris and splatter present	
		OBSERVED: Items in cooler #4 were not being held at 41 degrees or less.	CRITICAL
		OBSERVED: Seals on the fry freezer and cooler #4 are torn and in disrepair.	NON-CRITICAL
	Occurred		Status
FOLLOW-UP INSPECTION	05/27/15	OBSERVED: Seals on the fry freezer and Cooler #4 are torn and disrepair.	NON-CRITICAL
		*** Seals are on Order to be replaced.	

**JEFFERSON CITY AREA YMCA CHILD DEVELOPMENT CENTER**  
**603 ELLIS BLVD**  
**JEFFERSON CITY, MO 65101**

Facility Name & Address		Description	
ROUTINE INSPECTION	05/14/15		Status
0		No Violations Cited	

**EAGLE LIQUOR AND CONVENIENCE STORE**  
**1408 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

Facility Name & Address		Description	
ROUTINE INSPECTION	05/21/15		Status
		OBSERVED: disposable paper towels not present at kitchen hand sink or bathroom hand sink.	NON-CRITICAL

**CAPITAL REGION MEDICAL CENTER--MEMORIAL CAMPUS**  
**1432 SOUTHWEST BLVD**  
**JEFFERSON CITY, MO 65109**

Facility Name & Address		Description	
ROUTINE INSPECTION	05/11/15		Status
		OBSERVED: [1] hot water leak and rust present at small steam kettle; [2] leak behind steam exchanger at dish machine; [3] particle board cabinet beneath beverage line station is wet, with deteriorating substrate and possible mold present [see contents of drip pan and mop heads present]	NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address  
**UNILEVER CORPORATION CAFETERIA**  
**2900 W TRUMAN BLVD**  
**JEFFERSON CITY, MO 65109**  
 Occurred  
 ROUTINE 05/21/15  
 INSPECTION

Description

Description Status

OBSERVED: walk in cooler floor under shelving has spilled food present; kitchen and service line coved base has stains and soil deposits present NON-CRITICAL

OBSERVED: Victory 2 door Cooler maintaining 42 F to 45 F instead of 41 F; set to 41 F or lower, repair if needed NON-CRITICAL

OBSERVED: rotary hot holding/display warmer holding product below 135 F; keep 135 F or above [service man has been called]

**SAWADDEE THAI CUISINE**  
**2215 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**  
 Occurred  
 ROUTINE 05/20/15  
 INSPECTION

Description

Description Status

OBSERVED: Door seal on the make cooler is cracked and torn. NON-CRITICAL

OBSERVED: No soap present at front hand sink. NON-CRITICAL

\*\* If used frequently for hand washing, keep soap out and near hand sink. Or use hand sink in the kitchen, for hand washing.

OBSERVED: Vent hood has an accumulation of grease and debris present. NON-CRITICAL

**GERBES WEST GROCERY DEPARTMENT**  
**2805 W TRUMAN BLVD**  
**JEFFERSON CITY, MO 65109**  
 Occurred  
 ROUTINE 05/07/15  
 INSPECTION

Description

Description Status

OBSERVED: Loose cereal in the bagged cereal area NON-CRITICAL

OBSERVED: Spilled Cheese in the open dairy case

OBSERVED: Debris under the canned biscuits in the open display case

OBSERVED: Food debris under frozen potatoes and frozen rolls in the reach in freezers

**GERBES WEST PRODUCE DEPARTMENT**  
**2805 W TRUMAN BLVD**  
**JEFFERSON CITY, MO 65109**  
 Occurred  
 ROUTINE 05/18/15  
 INSPECTION  
 0

Description

Description Status

No Violations Cited

**CAPITAL CAFE**  
**3600 COUNTRY CLUB DR STE 228**  
**JEFFERSON CITY, MO 65109**  
 Occurred  
 FOLLOW-UP 05/19/15  
 INSPECTION  
 0

Description

Description Status

No Violations Cited